

LAND RECLAMATION COMMISSION

STATE OF MISSOURI

P.O. BOX 176

JEFFERSON CITY, MISSOURI 65102

573-751-4041

Permit To Engage in Surface Mining

LAND RECLAMATION COMMISSION

ISSUES TO
CHRISTY REFRACTORIES, L.L.C.

Pursuant to "The Land Reclamation Act," RSMo, 2001, and on conformity with the statements

In the application, a permit is hereby granted to engage in surface mining of

clay in the state of Missouri. The extent of the


Proposed mining operation(s) will be on 81 acres, more or less.

The locations of the operation(s) under this permit is/are as follows: Renewal

County	Section	Township	Range	Acres Renewed	Acres New	Total Acres	Site/Stream Name	Site Number
Audrain	36	50N	08W	22	0	22	Wright/McKibben	0366
Montgomery	02	47N	05W	32	0	32	Johnson	1443
Montgomery	02	47N	05W	27	0	27	Musgrove/Grenwell	0364

This permit may be suspended or revoked upon violation of any or all of the conditions set forth in "The Land Reclamation Act," RSMo. 2001, or in such rules and regulations as are promulgated pursuant thereto by the Land Reclamation Commission.

IN WITNESS WHEREOF I have hereunto set my hand this 15th day of October 2004



DIRECTOR OF STAFF
Land Reclamation Commissioner

Permit No. 0297

Effective Date 11/01/2004

Expiration Date 10/31/2005

MO 780-1122 (6-95)



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION

RECEIVED

PERMIT RENEWAL FOR INDUSTRIAL MINERAL MINES OCT 04 2004

P.O. BOX 176
JEFFERSON CITY, MO 65102-0176

NAME OF CORPORATION, COMPANY, PARTNERSHIP OR INDIVIDUAL Christy Refractories, LLC		MISSOURI LAND RECLAMATION COMMISSION		DATE 9/27/04
ADDRESS PO BOX 159 - 833 Booneslick Road		CITY High hill	STATE Mo	ZIP CODE 63350
CONTACT PERSON Jeffrey W. Porter			TELEPHONE NUMBER 636-585-2214	

FEES: COMPLETE SECTION I OR SECTION II

SECTION I. Fees: Open pit operators and those mining more than 5,000 tons of sand and/or gravel:

1. To compute the site fee complete the information below:

SITE NAME OR NUMBER (add a separate sheet for additional sites)	Mark each month that the site will be operated during the permit year	For sites operated less than six months per permit year pay \$150 For sites operated six months or more per permit year pay \$300
1. Johnson #1443	Jan , Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$ 150.00
2. Wright/Mckibben	Jan , Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$ 150.00
3. Musgrove / Greenwell #0364	Jan , Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$ 150.00
4.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
5.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
6.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
7.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
8.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
9.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
10.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
TOTAL SITE FEE		\$ 450.00

2. Acreage Fee \$5 X 81 number of acres bonded \$ 405.00

3. Annual Permit Fee \$ 500

4. Total Fee (Add totals from 1, 2 and 3) \$ 1355.00

NOTE: If Total Fee exceeds \$2,500.00 then pay only \$ 2,500

SECTION II. FEES: Sand or gravel operators mining less than 5,000 tons per year:

1. Annual Permit Fee \$ 300

SIGNATURE OF APPLICANT <i>Jeffrey W. Porter</i>	TITLE VP Operations	DATE 9/27/04
--	------------------------	-----------------

Appeared before me this 28 day of September, 2004, Jeffrey W. Porter
to me personally known, who executed the above as their free acts and deeds.

<p>Robin D. Overkamp NOTARY PUBLIC - STATE OF MISSOURI MONTGOMERY COUNTY MY COMMISSION EXPIRES OCT 9 2005</p>	STATE OF Missouri	COUNTY (OR CITY OF ST. LOUIS) Montgomery
	SUBSCRIBED AND SWORN BEFORE ME, THIS <u>28</u> DAY OF <u>September</u> YEAR <u>2004</u>	
	NOTARY PUBLIC SIGNATURE <i>Robin D. Overkamp</i>	MY COMMISSION EXPIRES <u>10-9-05</u>
	NOTARY PUBLIC NAME (TYPED OR PRINTED) Robin D. Overkamp	
DATE APPROVED <i>[Signature]</i> <u>10-7-04</u>		PERMIT NUMBER <u>0297</u>
		EXPIRATION DATE <u>10-31-05</u>



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
SITE INFORMATION FORM

RECEIVED

JUN 24 2002

MISSOURI LAND
RECLAMATION COMMISSION

To be completed for each separate area of disturbance associated with mining operations.

SITE NAME OR NUMBER Johnson #1443		PERMIT NUMBER 0297
COMPANY NAME Christy Refractories LLC		
COUNTY Montgomery	1/4 SECTION SW 1/4	SECTION 02
TOWNSHIP 47N	RANGE 05W	ACRES 17 3/4 80 7-12-02
RIVER OR STREAM NAME (FOR IN-STREAM ACRES)		
MINERAL COMMODITY Fireclay		ESTIMATED TONS/YEAR (FOR GRAVEL SITES)

NAME OF LANDOWNER (ATTACH LIST IF MORE THAN ONE) Johnson Family Partnership LLLP		
ADDRESS 261 S. Hwy 19		
CITY New Florence	STATE MO	ZIP CODE 63363
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE):		<input checked="" type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT DATE OF AGREEMENT 3/1/95

MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THAN ONE) Same as above		
ADDRESS		
CITY	STATE	ZIP CODE
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE):		<input checked="" type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT DATE OF AGREEMENT

NOTE: Each site must be shown on a map and be included in a public notice and an approved mine plan.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
MINE PLAN

RECEIVED

AUG 23 2002

P.O. BOX 176
JEFFERSON CITY, MO 65102

TYPE OF PLAN (CHECK ONE):

☐ SHORT TERM, FOR ONE PERMIT YEAR

☒ LONG TERM, FOR PERIOD THROUGH DATE: 2002 Thru 2006

MISSOURI LAND
RECLAMATION COMMISSION

DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PERMITTING (BY APPLICANT OR PRIOR OPERATOR), INCLUDING SOIL, VEGETATION AND TOPOGRAPHY.

Heavy wooded area on a ridge, steep slopes on each side. Large timber has been removed leaving small timber, under brush, stumps and tree laps. Area bordered on the south, east and west by several small clay pits.

OPERATION PLAN - 10 CSR 40-10.020(2)(D)1.

A. TOPSOIL

AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PERMITTING

0" - 3" INCHES

IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?

☐ YES OR ☒ NO

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL

After the land is cleared of brush and stumps with dozers, top soil being very thin, will be removed with 12" to 15" of sub-soil to be used for replacement soil. Soil will be completely removed with scrapers before over-burden is removed from area to be mined.

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECTION

The scrapers will deposit soil in a pile near the pit area. Soil will be protected from erosion by being seeded with grass.

RECEIVED

AUG 23 2002

B. SPOIL

DESCRIBE METHODS AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL

MISSOURI LAND
RECLAMATION COMMISSION

Over-burden from pit will be placed in old mined out area. Graded to traversable slopes before top soil is replaced.

C. ACID MATERIALS

DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)

None

D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)

DESCRIBE LOCATION AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS

YES NO

☐☒

Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?

☐☒

Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)

☐☒

Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)

RECEIVED

AUG 23 2002

RECLAMATION PLAN - 10 CSR 40-10.020(2)(D)2.

MISSOURI LAND
RECLAMATION COMMISSION

A. REVEGETATION (Attach additional sheets, if needed)

REVEGETATION MIX #1

PURPOSE OR LAND USE

Agriculture

B. SEEDING OR PLANTING TIME

Sept. 1

Oct. 15

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

During the first fall following Top Soil replacement the seed mix will be either broadcast and harrowed or planted with no-till drill depending on weather and soil conditions.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Prennial Rye Fescue K31 Cardinal Wheat Volunteer Native Species	80# Acre 60# Acre 4 bu Acre		

REVEGETATION MIX #2

PURPOSE OR LAND USE

Agriculture

B. SEEDING OR PLANTING TIME

Spring Feb 15-April 15

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

In the following spring after top soil replacement, re-seeding of Orchard Grass and Red Clover and if needed other grasses will be planted to control erosion.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Lespedeza Clover Orchard Grass	10# Acre 10# Acre 30# Acre		

ATTACH ADDITIONAL SHEETS FOR ADDITIONAL SEED MIXES.

RECEIVED

AUG 23 2002

B. GRADING

DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING SLOPES

MISSOURI LAND
RECLAMATION COMMISSION

All spoil areas will be graded to slopes traversable by ATV's. A lake of approximately four acres will be constructed in final pit area. The lake will be constructed and designed to meet SCS standards.

C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVITIES

GRADING

Grading will be done on a continuous basis as spoil is placed in mined out portions. Final grading will be done. Completion within 10 to 14 months after back-fill of spoil.

REPLACEMENT OF TOPSOIL

Top Soil will be placed on spoil soon after final grading is finished. Top Soil will be replaced to the same depth as previous mined portions.

REVEGETATION

All Top Soil areas will be disced and seeded the first spring or fall, depending on time of year of Top Soil replacement and final grading.

AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)

1" of topsoil plus 11" of subsoil for a total of 12"

D. USE OF LAND WHEN RECLAIMED

Estimate acreage of each land use below, after reclamation

ESTIMATED ACRES:

Wildlife (forest or other habitat with livestock excluded)

28

Agricultural (pasture, cropland, and horticultural)

Development (residential, industrial, and recreational)

Water impoundments (for wildlife, agricultural, or development)

4




RECEIVED

AUG 23 2002

MISSOURI LAND
RECLAMATION COMMISSION

By my signature, I attest to the following:

1. All statements made on this Mine Plan Form are correct, complete, and true, to the best of my knowledge.
2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.789, RSMo and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
3. I have obtained the approval of all landowner's for all proposed post-reclamation land uses.
4. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and his authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

SIGNATURE OF APPLICANT 		TITLE <i>Facility Manager</i>	DATE <i>8/14/02</i>
	STATE <i>Missouri</i>		COUNTY (OR CITY OF ST. LOUIS) <i>Montgomery</i>
	SUBSCRIBED AND SWORN BEFORE ME, THIS <i>19</i> DAY OF <i>August</i> <i>19-2002</i>		USE RUBBER STAMP IN CLEAR AREA BELOW
	NOTARY PUBLIC SIGNATURE <i>Robin D. Overkamp</i>	MY COMMISSION EXPIRES <i>10/9/02</i>	
	NOTARY PUBLIC NAME (TYPED OR PRINTED) <i>Robin D. Overkamp</i>		
APPROVED BY (DIRECTOR'S REPRESENTATIVE) 		DATE APPROVED <i>1-003</i>	PERMIT NUMBER <i>0287</i>



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
SITE INFORMATION FORM

RECEIVED
OCT 01 1997

To be completed for each separate area of disturbance associated with mining operations.			MISSOURI LAND RECLAMATION COMMISSION
SITE NAME OR NUMBER MUSGROVE/GREENWELL		PERMIT NUMBER 0297	
COMPANY NAME CHRISTY REFRACTORIES COMPANY L.L.C.			
COUNTY MONTGOMERY	1/4 SECTION E $\frac{1}{2}$ of SE $\frac{1}{4}$	SECTION 02	
TOWNSHIP 47N	RANGE 05W	ACRES 27	
RIVER OR STREAM NAME (FOR IN-STREAM ACRES) NA			
MINERAL COMMODITY CLAY		ESTIMATED TONS/YEAR (FOR GRAVEL SITES) NA	

NAME OF LANDOWNER (ATTACH LIST IF MORE THAN ONE) BILLY J. CARTER		
ADDRESS PO BOX 24		
CITY NEW FLORENCE	STATE MO.	ZIP CODE 63363
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE): _____		DATE OF AGREEMENT <input type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT

MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THAN ONE) A.P. GREEN INDUSTRIES, INC.		
ADDRESS GREEN BOULEVARD		
CITY MEXICO	STATE MO.	ZIP CODE 65265
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE): _____		DATE OF AGREEMENT AUG 1, 1994 <input checked="" type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT

NOTE: Each site must be shown on a map and be included in a public notice and an approved mine plan.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
MINE PLAN

RECEIVED
OCT 01 1997
MISSOURI LAND
RECLAMATION COMMISSION

P.O. BOX 176
JEFFERSON CITY, MO 65102

TYPE OF PLAN (CHECK ONE):

☐ SHORT TERM, FOR ONE PERMIT YEAR

COMPANY NAME CHRISTY REFRACTORIES CO.L.L.C.

☒ LONG TERM, FOR PERIOD THROUGH DATE:

12-1-97 THRU 10-31-2007

DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PERMITTING (BY APPLICANT OR PRIOR OPERATOR), INCLUDING SOIL, VEGETATION AND TOPOGRAPHY.

WOODED AREA ON RIDGES AND STEEP SLOPES. LARGE TIMBER HAS BEEN REMOVED. LEAVING BRUSH STUMPS AND TREE LAPS. PERMITTED ACRES ARE TO BE MINED IN CONTINUOUS PHASES FROM ONE PIT TO NEXT, OF APROX . ONE ACRE AREAS. RECLAMATION WILL BE DONE EACH YEAR. ON COMPLETION OF RECLAMATION WATER IMPOUNDMENT AND WILDLIFE AREAS WILL BE ESTABLISHED.

OPERATION PLAN - 10 CSR 40-10.020(2)(D)1.

A. TOPSOIL

AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PERMITTING

1"

INCHES

IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?

☐ YES OR ☒ NO

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL

LAND CLEARED OF BRUSH AND STUMPS WITH DOZERS, TOP SOIL BEING VERY THIN WILL BE REMOVED WITH 10" to 15" OF SUB-SOIL TO BE USED FOR REPLACEMENT SOIL. SOIL WILL BE COMPLETELY REMOVED WITH SCRAPERS BEFORE OVER-BURDEN IS REMOVED FROM AREA TO BE MINED.

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECTION

THE SCRAPERS WILL DEPOSIT SOIL IN A PILE NEAR THE PIT AREA. SOIL WILL BE PROTECTED FROM EROSION BY BEING SEEDED WITH GRASS.

B. SPOIL

DESCRIBE METHODS AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL

WATER IMPOUNDMENT WILL BE PUMPED OR DRAINED. OVER BURNDEN
FROM OLD MINED OUT AREAS GRADED TO TRAVERSABLE SLOPES BEFORE TOP
SOIL IS REPLACED.

RECEIVED
OCT 01 1997
MISSOURI LAND
RECLAMATION COMMISSION

C. ACID MATERIALS

DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)

NONE

D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)

DESCRIBE LOCATION AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS

SEE SITE MAP

YES	NO	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "yes", a safety barrier may be needed.)

RECEIVED
OCT 01 1997

RECLAMATION PLAN - 10 CSR 40-10.020(2)(D)2.

A. REVEGETATION (Attach additional sheets, if needed)

MISSOURI LAND

REVEGETATION MIX #1

PURPOSE OR LAND USE

RECLAMATION COMMISSION

B SEEDING OR PLANTING TIME

WILDLIFE

SEPT. 1 - OCT. 15

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

THE FALL FOLLOWING TOP SOIL REPLACEMENT THE SEED MIX WILL BE BROADCAST AND HARROWED OR PLANTED WITHNOTILL DRILL DEPENDING ON WEATHER AND SOIL CONDITIONS.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
PERENNIAL RYE	80# Acre	VOLUNTEER TREES	
FESCUE K31	60# Acre	COTTON WOOD	
CARDINAL WHEAT	4 bu Acre	PIN OAK	
ORCHARD GRASS	8-10	WHITE OAK	
LADINO CLOVER	2	CEDAR	
RED CLOVER	6		
KOREAN LESPEDERA	10		
		Bob Chiles/M.D.	
		10-24-97	

REVEGETATION MIX #2

PURPOSE OR LAND USE

B SEEDING OR PLANTING TIME

WILDLIFE

FEB-APR 14

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

THE FOLLOWING SPRING AFTER TOP SOIL REPLACEMENT, RE SEEDING OF ORCHARD GRASS AND RED CLOVER AND IF NEEDED OTHER GRASSES WILL BE PLANTED TO CONTROL EROSION.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
RED CLOVER	620 # Acre		
ORCHARD GRASS	1030 # Acre		

ATTACH ADDITIONAL SHEETS FOR ADDITIONAL SEED MIXES.

B. GRADING

DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING SLOPES

ALL SPOIL AREAS WILL BE GRADED TO SLOPES TRAVERSABLE BY ATV'S.
LAKES OF VARIOUS SIZES WILL BE CONSTRUCTED IN THE FINAL PIT AREAS.
THE LAKES WILL BE CONSTRUCTED AND DESIGNED TO MEET SCS STANDARDS.

RECEIVED
OCT 01 1997
MISSOURI LAND
RECLAMATION COMMISSION

C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVITIES

GRADING

GRADING WILL BE DONE ON CONTINUOUS BASIS AS SPOIL IS PLACED IN
MINED OUT AREAS. FINAL GRADING WILL BE DONE . COMPLETION WITHIN
10 to 14 MONTHS AFTER BACK-FILL OF SPOIL.

REPLACEMENT OF TOPSOIL

TOP SOIL WILL BE PLACED ON SPOIL SOON AFTER FINAL GRADING IS FINISHED.
TOP SOIL WILL BE REPLACED TO THE SAME DEPTH AS PREVIOUS MINED
PORTIONS.

REVEGETATION

ALL TOP SOIL AREAS WILL BE DISCED AND SEEDED THE FIRST SPRING
OR FALL DEPENDING ON TIME OF YEAR OF TOP SOIL REPLACEMENT
AND FINAL GRADING.

AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)

1" TOP SOIL 8" to 12" sub soil

D. USE OF LAND WHEN RECLAIMED

Estimate acreage of each land use below, after reclamation

ESTIMATED ACRES:

Wildlife (forest or other habitat with livestock excluded)

17

Agricultural (pasture, cropland, and horticultural)

Development (residential, industrial, and recreational)

Water impoundments (for wildlife, agricultural, or development)

10

By my signature, I attest to the following:

1. All statements made on this Mine Plan Form are correct, complete, and true, to the best of my knowledge.
2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.789, RSMo [REDACTED] and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
3. I have obtained the approval of all landowner's for all proposed post-reclamation land uses.
4. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and his authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

RECEIVED
OCT 01 1997
MISSOURI LAND
RECLAMATION COMMISSION

SIGNATURE OF APPLICANT <i>Robert J. Chubb</i>		TITLE GENERAL MANAGER	DATE 9-25-97
NOTARY PUBLIC EMBOSSEY SEAL	STATE <i>Missouri</i>	COUNTY (OR CITY OF ST. LOUIS) <i>Montgomery</i>	
	SUBSCRIBED AND SWORN BEFORE ME, THIS <i>25th</i> DAY OF <i>September</i> 19 <i>97</i>		USE RUBBER STAMP IN CLEAR AREA BELOW <i>Debra K. Gerard, Notary Public County of Warren, State of Missouri My Commission Expires Jan. 13, 1999</i>
	NOTARY PUBLIC SIGNATURE <i>Debra K. Gerard</i>	MY COMMISSION EXPIRES <i>1-13-99</i>	
NOTARY PUBLIC NAME (TYPED OR PRINTED) DEBRA K. GERARD			
APPROVED BY (DIRECTOR'S REPRESENTATIVE) <i>William Deibel</i>		DATE APPROVED 11-26-97	PERMIT NUMBER 297

For Complete, Friendly Service, Call:

486-2131

HERMANN LUMBER HOME CENTER

6th & Market

Hermann, Missouri

FLOOR COVERINGS

READY-MIXED CONCRETE


MISSOURI LAND
RECLAMATION COMMISSION



TOWNSHIP 47 • RANGE 5

Southeast Part
DANVILLE
Northeast Part
LOUTRE

SEE PAGE 17



SEE PAGE 21

SEE PAGE 23

WARREN CO.

For Complete, Friendly Service, Call:

486-2131



HERMANN LUMBER HOME CENTER

RECEIVED
OCT 01 1997

6th & Market

Hermann, Missouri

FLOOR COVERINGS


READY-MIXED CONCRETE

MISSOURI LAND
RECLAMATION COMMISSION

TOWNSHIP 47 • RANGE 5

Southeast Part
DANVILLE
Northeast Part
LOUTRE

SEE PAGE 17





MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
SITE INFORMATION FORM

RECEIVED
AUG 03 1998

To be completed for each separate area of disturbance associated with mining operations			MISSOURI LAND RECLAMATION COMMISSION
SITE NAME OR NUMBER WRIGHT		PERMIT NUMBER 0297	
COMPANY NAME CHRISTY REFRACTORIES COMPANY LLC			
COUNTY AUDRAIN	1/4 SECTION SW $\frac{1}{4}$ of NW $\frac{1}{4}$	SECTION 36	
TOWNSHIP 50N	RANGE 08W	ACRES 22	
RIVER OR STREAM NAME (FOR IN-STREAM ACRES) NA			
MINERAL COMMODITY CLAY		ESTIMATED TONS/YEAR (FOR GRAVEL SITES) NA	

NAME OF LANDOWNER (ATTACH LIST IF MORE THAN ONE) JERRY AND KATHRYN WRIGHT		
ADDRESS RT. # 1		
CITY MARTINSBURG	STATE MO.	ZIP CODE 65264
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE):		DATE OF AGREEMENT JAN. 29, 1998
<input checked="" type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT		

MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THAN ONE) SAME		
ADDRESS		
CITY	STATE	ZIP CODE
SOURCE OF RIGHT TO MINE (CHECK ONE): <input type="checkbox"/> MINERAL DEED <input type="checkbox"/> WARRANTY DEED <input type="checkbox"/> OTHER (DESCRIBE):		DATE OF AGREEMENT
<input type="checkbox"/> LEASE <input type="checkbox"/> VERBAL AGREEMENT		

NOTE: Each site must be shown on a map and be included in a public notice and an approved mine plan.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
LAND RECLAMATION COMMISSION
MINE PLAN

P.O. BOX 176
JEFFERSON CITY, MO 65102

TYPE OF PLAN (CHECK ONE):

☐ SHORT TERM, FOR ONE PERMIT YEAR

COMPANY NAME

CHRISTY REFRACTORIES CO. LLC

☒ LONG TERM, FOR PERIOD THROUGH DATE: 11-1-97 thru 10-31-2007

DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PERMITTING (BY APPLICANT OR PRIOR OPERATOR), INCLUDING SOIL, VEGETATION AND TOPOGRAPHY.

CLAY SOIL, BRUSH AND GRASS, STEEP HILLS AND SLOPES OLD MINED AREA WITH SOME LARGE TREES.

RECEIVED
AUG 03 1998

MISSOURI LAND
RECLAMATION COMMISSION

OPERATION PLAN - 10 CSR 40-10.020(2)(D)1.

A. TOPSOIL

AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PERMITTING

0" to 2" INCHES

IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?

☐ YES OR ☒ NO

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL

AFTER THE LAND IS CLEARED OF BRUSH AND STUMPS WITH DOZERS, TOP SOIL, BEING VERY THIN WILL BE REMOVED WITH 10" TO 12" OF SUB-SOIL TO BE USED FOR REPLACEMENT SOIL. SOIL WILL BE COMPLETELY REMOVED WITH SCRAPERS BEFORE OVER-BURDEN IS REMOVED FROM AREA TO BE MINED.

DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECTION

THE SCRAPERS WILL DEPOSIT SOIL IN A PILE NEAR THE PIT AREA. SOIL WILL BE PROTECTED FROM EROSION BY BEING SEEDED WITH GRASS.

SPOIL**DESCRIBE METHODS AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL**

Water impoundment will be pumped or drained. Over-burden from pit will be placed in water impoundment and old mined out area. Graded to traversable slopes before top soil is replaced.

C. ACID MATERIALS

DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)

NONE

RECEIVED
AUG 03 1998
MISSOURI LAND
RECLAMATION COMMISSION

D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)

DESCRIBE LOCATION AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS

YES NO

- | | | |
|--------------------------|-------------------------------------|---|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will any excavation be at or within fifty feet (50') of the right-of-way of any public road? |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right of way, and in no case may the excavation be closer to the right of way than fifty feet or twenty-five feet plus one and one-half (1-½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Will any excavation start at or within fifty feet (50') of any property line?
(NOTE: If the answer is "yes", a safety barrier may be needed.) |

A. REVEGETATION (Attach additional sheets, if needed)

REVEGETATION MIX #1	PURPOSE OR LAND USE WILDLIFE	B. SEEDING OR PLANTING TIME SEPT 1 OCT 15
---------------------	---------------------------------	--

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

During the first fall following top soil replacement the seed mix will be either broadcast and harrowed or planted with notill drill depending on weather and soil conditions.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Prennial Rye Fescue K31 Cardinal Wheat	80# Acre 60# Acre 4 bu Acre	Volunteer Trees Cotton Wood Pin Oak White Oak Cedar	

REVEGETATION MIX #2	PURPOSE OR LAND USE Wildlife	B. SEEDING OR PLANTING TIME Spring Feb 15 - Apr 15
---------------------	---------------------------------	---

DESCRIBE METHODS AND EQUIPMENT TO BE USED FOR SEEDING OR PLANTING

In the following spring after top soil replacement, re-seeding of orchard grass and red clover and if needed other grasses will be planted to control erosion.

Lime and fertilizer will be applied according to recommendations made, based on an analysis of soil texture and nutrients. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Red Clover Orchard Grass	20# Acre 30# Acre		

RECEIVED
AUG 03 1998
MISSOURI LAND
RECLAMATION COMMISSION

ATTACH ADDITIONAL SHEETS FOR ADDITIONAL SEED MIXES.

GRADING

DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING SLOPES

All spoil areas will be graded to slopes traversable by ATV's. A lake of approx. 12 acres will be constructed in final pit area. The lake will be constructed and designed to meet SCS standards.

RECEIVED
AUG 03 1998
MISSOURI LAND
RECLAMATION COMMISSION

C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVITIES

GRADING

Grading will be done on continuous basis as spoil is placed in mined out portions. Final grading will be done. Completion within 10 to 14 months after back-fill of spoil.

REPLACEMENT OF TOPSOIL

Top soil will be placed on spoil soon after final grading is finished. Top soil will be replaced to the same depth as previous mined portions.

REVEGETATION

All top soil areas will be disced and seeded the first spring or fall, depending on time of year of top soil replacement and final grading.

AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)

Maybe 1" top soil - 8" to 12" sub soil

D. USE OF LAND WHEN RECLAIMED

ESTIMATED ACRES:	
Estimate acreage of each land use below, after reclamation	
Wildlife (forest or other habitat with livestock excluded)	
Agricultural (pasture, cropland, and horticultural)	10
Development (residential, industrial, and recreational)	
Water impoundments (for wildlife, agricultural, or development)	12


By my signature, I attest to the following:


1. All statements made on this Mine Plan Form are correct, complete, and true, to the best of my knowledge.
2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.789, RSMo [REDACTED] and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
3. I have obtained the approval of all landowner's for all proposed post-reclamation land uses.
4. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and his authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

RECEIVED
AUG 03 1998

MISSOURI LAND
RECLAMATION COMMISSION

SIGNATURE OF APPLICANT <i>Robert J. Chute</i>		TITLE <i>General Manager</i>	DATE <i>9-25-97</i>
NOTARY PUBLIC EMBOSSEY SEAL	STATE <i>Missouri</i>	COUNTY (OR CITY OF ST. LOUIS) <i>Montgomery</i>	
	SUBSCRIBED AND SWORN BEFORE ME, THIS <i>25th</i> DAY OF <i>September</i> , 19 <i>97</i>		USE RUBBER STAMP IN CLEAR AREA BELOW Debra K. Gerard, Notary Public County of Warren, State of Missouri My Commission Expires Jan. 13, 1999
	NOTARY PUBLIC SIGNATURE <i>Debra K. Gerard</i>	MY COMMISSION EXPIRES <i>1-13-99</i>	
	NOTARY PUBLIC NAME (TYPED OR PRINTED) <i>Debra K. Gerard</i>		
APPROVED BY (DIRECTOR'S REPRESENTATIVE) <i>Larry Hop</i>		DATE APPROVED <i>10/06/98</i>	PERMIT NUMBER <i>10/31/98</i>





Christy Refractories Co. LLC
 A - Johnson Family Partnership LLP
 Surface and Minerals owned by Johnson Family
 Acres = 32 4 water/28 pasture

— Property boundaries
 --- Permit Boundaries
 // Future Lake Site

E - Expansion Area

No Public Roads within 100' of Permit Areas

Montgomery County, 47N, 5W, Sec. 2

10/4/02


B - Greenwell Pit
 Surface owned by Johnson family Partnership
 C - Musgrove Pit
 Surface owned by Bill Carter
 B+C - Minerals owned by Harbinson Walker
 Acres - 27 2water/ 25 pasture

No Public Roads within 100' of Permit Areas

RECEIVED

OCT 10 2002

MISSOURI LAND
 RECLAMATION COMMISSION



Christy Refractories Co. LLC

Wright/Mckibbon pit

Surface and Minerals owned by Jerry and Katherine Wright

Acres = 22 22 acres water

— Property boundary

--- Permit Boundary

No Public Roads within 100' of The Perm. Area

Audrain County 50N, 8W, Sec.36

RECEIVED 10/4/02

OCT 10 2002

MISSOURI LAND
RECLAMATION COMMISSION

N
1

486-2131

RECEIVED

Hermann, Missouri

NOV 12 1997

READY-MIXED CONCRETE

MISSOURI LAND
RECLAMATION COMMISSION

TOWNSHIP 47 • RANGE 5

Southeast - 37
CANVILLE
Northeast Part
LOUTRE

WYOMING
CAPRE
CORPORATION


CANVILLE WILDLIFE AREA

[illegible]


BIG SPRINGS

WATKINS CO.

© 1989 Mull Map Service



CHRISTY MINERALS COMPANY



for mine land use: Wildlife.

RECEIVED
NOV 12 1997

MISSOURI LAND
RECLAMATION COMMISSION

MOC 840006

CHRISTY MINERALS Co.

~~McKIBBEN~~ PROPERTY

SCALE 1" = 100'

10-22-92 J. JENSEN

Revised 7-13-95 B. CHILES

REVIEW 6-27-96 B. Chiles

Revised 11-12-96 B. Chiles

Revised 12-5-97 D. Chiles

REVIEW 6-25-98 B. CHILES

Revised 7-31-98 B. CHILES

LEGEND

PERMITTED AREA = 12 ACRES (-----)

A = OLD PRE-LAW PIT - BACKFILLED 1989

CURRENT USE : STOCKPILE AREA

B : SETTLING BASIN

C : OLD STOCKPILE BASE : CURRENTLY USING

D = TOP SOIL STORAGE

E = PIT # 1 - MINED OUT - BACKFILLED 1989

CURRENT USE : STOCKPILE AREA

F : PIT # 2 - MINED OUT - BACKFILLED JULY 1990

CURRENT USE : STOCKPILE AREA

G = PIT #2A - MINED OUT 1991 - TO BE BACKFILLED 1993

H = ALL PERMITTED AREA WEST OF DITCH TO BE

MINED DURING TERM OF THIS PERMIT PLAN

I = MINING LEASE BOUNDARIES

= J.S. McKIBBEN OWNS BOTH SURFACE & SUB-SURFACE

NATIONAL LAW CENTER

J = open pit - Partially BACK' 11 1996

$K = \text{OPEN Pit}$

G & J = PARTIAL BACK FILL

K₂ WATER HOLE

$L = \text{OPEN PIT 4}$


1997
G + f = Back F!!!

L+K+J=PARTIAL Back fill

M = OPEN PIT MINED OUTF

$N = \text{OPEN PIT}$

$\Sigma = 10$ ACRE EXPANSION



ANY CHRISTY MINERALS COMPANY

DATE

7-31-98
JANUARY 16, 1991

NE/PIT

McKIBBEN

WRIGHT

COMMODITY MINED

CLAY

COUNTY

AUDRAIN

SECTION

36


TOWNSHIP

50N


RANGE 8W

BOND#

30215447



SCALE: 8" = 1 MILE




Vright / McRobison
 (Audrain Co. = 1 SITE)

PANY CHRISTY MINERALS COMPANY
/PIT McKIBBEN
ITY AUDRAIN

DATE JANUARY 16, 1991
COMMODITY MINED CLAY
SECTION 36, TOWNSHIP 50N, RANGE 8W

30215447



SCALE: 8" = 1 MILE


CHRISTY MINERALS COMPANY

1991 Survey Map

- A. Boundaries of land owned by J. S. McKibbens
- B. Land currently permitted
- C. Land proposed to be permitted with this application
- D. No buildings within 1000 feet of existing or proposed permitted areas.
- E. Haul road (abandoned county road)

Maps were prepared 12-12-91 by J. V. Jensen, Mining Supervisor

Location = Section 36, township 50 North, Range 8 West



486-2131

6-2131

RECEIVED

MAR 6 1995

MISSOURI

DEPT. OF REVENUE

CHW

the Grizzlies

Hermann, Missouri


READY-MIXED CONCRETE

MISSOURI LAND
RECLAMATION COMMISSION

TOWNSHIP 47 • RANGE 5


Northeast Part
 DANVILLE
 Northeast Part
 LOUTRE


SEE PAGE 17



OFF PAGE 23

WARREN CO.





DETAIL MAP

- A. PERMIT BOUNDARY SEE ABOVE 10A
- B. PROPERTY LINES MARKED SEE ABOVE MARTHA JOHNSON 3-14-95 ROBERT L. CHILES
- C. NA
- D. NA
- E. POST - MINING LAND USE SEE BACK
- F. N
- G. CHRISTY MINERALS COMPANY

G. MONTGOMERY COUNTY
NW SW 1/4 S 2 Tw 47 R 5 W

SCALE 1" = 660'

Rec'd 12/19/89 w/1980 app.

For Complete, Friendly Service, Call:

486-2131

HERMANN LUMBER HOME CENTER

6th & Market

Hermann, Missouri

FLOOR COVERINGS


READY-MIXED CONCRETE



TOWNSHIP 47 • RANGE 5

Southeast Part
DANVILLE
Northeast Part
LOUTRE

SEE PAGE 17



22

SEE PAGE 26

© 1989 Mull Map Service


(MONTGOMERY Co. = 2 SITES)

Johnson / Allenwood

COMPANY CHRISTY MINERALS COMPANY
MINE/PIT CREECH (MUSGROVE)
COUNTY MONTGOMERY

DATE JANUARY 16, 1991
COMMODITY MINED CLAY
SECTION 2, TOWNSHIP 47N, RANGE 5W


BOND# 09963550




SCALE: 8" = 1 MILE

BOND# 30215468

DATE JANUARY 16, 1991
COMMODITY MINED CLAY
SECTION 2, TOWNSHIP 47N, RANGE 5W



SCALE: 8" = 1 MILE



MONTGOMERY AND WARREN COUNTIES, MISSOURI — SHEET NUMBER

CHRISTY MINERALS COMPANY

1991 Plan - Map



- A. Boundaries of land owned by Martha Johnson
- B. Land currently permitted
- C. Land proposed to be permitted with this application
- D. Martha Johnson residence

Public roads located within 100' of permit areas - None

Maps were prepared 12-12-91 by J. V. Jensen, Mining Supervisor.

Location = Section 2, Township 47 North, Range 5W

STATE OF MISSOURI GEOLOGICAL SURVEY AND WATER RESOURCES WALLACE B. HOWE, STATE GEOLOGIST



CHRISTY MINERALS Co.

McKIBBEN PROPERTY

SCALE 1" = 100'

10-22-92 J. JENSEN

LEGEND

PERMITTED AREA = 12 ACRES (---)

A = OLD PRE-LAW PIT - BACKFILLED 1989

CURRENT USE = STOCKPILE AREA

B = SETTLING BASIN

C = OLD STOCKPILE BASE - CURRENTLY USING

D = TOP SOIL STORAGE

E = PIT #1 - MINED OUT - BACKFILLED 1989

CURRENT USE = STOCKPILE AREA

F = PIT #2 - MINED OUT - BACKFILLED JULY 1990

CURRENT USE = STOCKPILE AREA

G = PIT #2A - MINED OUT 1991 - TO BE BACKFILLED 1993


H = ALL PERMITTED AREA WEST OF DITCH TO BE
MINED DURING TERM OF THIS PERMIT PLAN

I = MINING LEASE BOUNDARIES

J.S. McKIBBEN OWNS BOTH SURFACE & SUB-SURFACE



J.S. McKIBBEN PROPERTY (I)




SE CORNER SW 1/4 NW 1/4
SECTION 36, T50N R8W

ABANDONED CO. RD

J.S. McKIBBEN PROPERTY



RECEIVED
SEP 20 1992
WISCONSIN
RECLAMATION COMMISSION

CHRISTY MINERALS CO.
MUSGROVE - GREENWELL PROPERTY
SCALE 1" = 100'
10-22-92 J. JENSEN
Revised 9-1-93 T. KRULL



RECEIVED
SEP 27 1993
FOR CONVEYANCE

CHRISTY MINERALS CO.
MUSGROVE - GREENWELL PROPERTY
SCALE 1" = 100'
10-22-92 J. JENSEN
Revised 9-1-93 T. KRULL



F. WHITE PROPERTY

RECEIVED
SEP 21 1993
MISSOURI RECLAMATION COMMISSION

STA 1

STA 2 = SE CORNER
SECTION 2 T47N, R5W

ALLEMAN PROPERTY